

# HIT-1

## Safety information for 2-Component-products

Date of issue: 22/02/2017

Revision date: 09/01/2017

Version: 1.0

### SECTION 1: Kit identification

#### 1.1 Product identifier

Name HIT-1

#### 1.2 Details of the supplier of the Safety information for 2-Component-products

Hilti AG  
 Feldkircherstraße 100  
 9494 Schaan - Liechtenstein  
 T +423 234 2111 - F +423 234 2965  
[www.hilti.com](http://www.hilti.com)

### SECTION 2: General information

Storage Storage temperature: 5 - 25 °C

A SDS for each of these components is included. Please do not separate any component SDS from this cover page

This Kit should be handled in accordance with good laboratory practices and appropriate personal protective equipment should be used

### SECTION 3: Kit contents

#### Classification of the Product

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H319  
 Skin Sens. 1 H317  
 Aquatic Acute 1 H400

Full text of hazard classes and H-statements : see section 16

#### Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS09

Signal word (CLP)

Warning

Hazardous ingredients

methacrylates, dibenzoyl peroxide

Hazard statements (CLP)

H317 - May cause an allergic skin reaction  
 H319 - Causes serious eye irritation  
 H400 - Very toxic to aquatic life

Precautionary statements (CLP)


P280 - Wear eye protection, protective clothing, protective gloves  
 P262 - Do not get in eyes, on skin, or on clothing  
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 P302+P352 - IF ON SKIN: Wash with plenty of water  
 P337+P313 - If eye irritation persists: Get medical advice/attention  
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

# HIT-1

## Kit Safety Information Sheet

### Additional information

Plastic-cartridge, contains:  
Methacrylate resin, inorganic filler  
Dibenzoyl peroxide, phlegmatized



Name	General description	Quantity	Unit	Classification according to Regulation (EC) No. 1272/2008 [CLP]
HIT-1, A		1	pcs (pieces)	Eye Irrit. 2, H319 Skin Sens. 1, H317
HIT-1, B		1	pcs (pieces)	Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400

### SECTION 4: General information

No data available

### SECTION 5: Safe handling advice

General measures	Spilled material may present a slipping hazard
Environmental precautions	Prevent entry to sewers and public waters Notify authorities if liquid enters sewers or public waters
Storage conditions	Keep cool. Protect from sunlight
Precautions for safe handling	Wear personal protective equipment Avoid contact with skin and eyes Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work Provide good ventilation in process area to prevent formation of vapour
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local legislation Mechanically recover the product Store away from other materials
For containment	Collect spillage
Incompatible materials	Sources of ignition Direct sunlight
Incompatible products	Strong bases Strong acids

### SECTION 6: First aid measures

First-aid measures after eye contact	Rinse immediately with plenty of water Remove contact lenses, if present and easy to do. Continue rinsing Obtain medical attention if pain, blinking or redness persists
First-aid measures after ingestion	Rinse mouth Drink plenty of water Get medical advice/attention Do not induce vomiting Obtain emergency medical attention
First-aid measures after inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing Assure fresh air breathing Allow the victim to rest
First-aid measures after skin contact	Wash contaminated clothing before reuse Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention
First-aid measures general	Remove/Take off immediately all contaminated clothing Never give anything by mouth to an unconscious person If you feel unwell, seek medical advice (show the label where possible)
Symptoms/effects after eye contact	May cause severe irritation

# HIT-1

## Kit Safety Information Sheet

---

Symptoms/effects after skin contact

May cause an allergic skin reaction

Other medical advice or treatment

Treat symptomatically

### **SECTION 7: Fire fighting measures**

Firefighting instructions

Use water spray or fog for cooling exposed containers  
Exercise caution when fighting any chemical fire  
Prevent fire fighting water from entering the environment

Protection during firefighting

Self-contained breathing apparatus  
Do not enter fire area without proper protective equipment, including respiratory protection

Hazardous decomposition products in case of fire

Thermal decomposition generates :  
Carbon dioxide  
Carbon monoxide

### **SECTION 8: Other information**

No data available

# HIT-1, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 22/02/2017

Revision date: 09/01/2017

:

Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	Mixture
Name	HIT-1, B
Product code	BU Anchor

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec	For professional use only
Use of the substance/mixture	Composite mortar component for fasteners in the construction industry

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Hilti AG  
 Feldkircherstraße 100  
 9494 Schaan - Liechtenstein  
 T +423 234 2111 - F +423 234 2965  
[www.hilti.com](http://www.hilti.com)

##### Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH  
 Hiltistraße 6  
 86916 Kaufering - Deutschland  
 T +49 8191 906310 - F +49 8191 90176310  
[anchor.hse@hilti.com](mailto:anchor.hse@hilti.com)

#### 1.4. Emergency telephone number

Emergency number	Schweizerisches Toxikologisches Informationszentrum – 24h Service +41 44 251 51 51 (international) +423 234 2111
------------------	--

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H319  
 Skin Sens. 1 H317  
 Aquatic Acute 1 H400

Full text of hazard classes and H-statements : see section 16

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS09

Signal word (CLP)

Warning

Hazardous ingredients

dibenzoyl peroxide

Hazard statements (CLP)

H317 - May cause an allergic skin reaction  
 H319 - Causes serious eye irritation  
 H400 - Very toxic to aquatic life

# HIT-1, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Precautionary statements (CLP)

P280 - Wear eye protection, protective clothing, protective gloves  
 P262 - Do not get in eyes, on skin, or on clothing  
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 P302+P352 - IF ON SKIN: Wash with plenty of water  
 P337+P313 - If eye irritation persists: Get medical advice/attention  
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
dibenzoyl peroxide	(CAS No) 94-36-0 (EC No) 202-327-6 (EC Index No) 617-008-00-0 (REACH-no) 01-2119511472-50	1 - 15	Org. Perox. B, H241 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=10)

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	Remove/Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Assure fresh air breathing. Allow the victim to rest.
First-aid measures after skin contact	Wash contaminated clothing before reuse. Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Drink plenty of water. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	May cause an allergic skin reaction.
Symptoms/effects after eye contact	May cause severe irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# HIT-1, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	Water spray. Carbon dioxide. Dry powder. Foam. Sand.
Unsuitable extinguishing media	Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide. Carbon monoxide.
--	--

#### 5.3. Advice for firefighters

Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	Spilled material may present a slipping hazard.
<b>6.1.1. For non-emergency personnel</b>	
Emergency procedures	Evacuate unnecessary personnel.
<b>6.1.2. For emergency responders</b>	
Protective equipment	Use personal protective equipment as required. Equip cleanup crew with proper protection.
Emergency procedures	Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment	Collect spillage.
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local legislation. Mechanically recover the product. Store away from other materials.
Other information	Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling	Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	Keep cool. Protect from sunlight.
Incompatible products	Strong bases. Strong acids.
Incompatible materials	Sources of ignition. Direct sunlight.
Storage temperature	5 - 25 °C



# HIT-1, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Vapour pressure	No data available
Relative vapour density at 20 °C	No data available
Relative density	No data available
Density	1.59 g/cm <sup>3</sup>
Solubility	No data available
Log Pow	No data available
Viscosity, kinematic	No data available
Viscosity, dynamic	No data available
Explosive properties	No data available
Oxidising properties	No data available
Explosive limits	No data available

### 9.2. Other information

VOC content	4.3 % (DIN EN ISO 11890-2)
-------------	----------------------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	Not classified
----------------	----------------

#### dibenzoyl peroxide (94-36-0)

LD50 oral rat	> 5000 mg/kg bodyweight (Rat; Equivalent or similar to OECD 401; Weight of evidence)
---------------	--

Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Reproductive toxicity	Not classified
Specific target organ toxicity (single exposure)	Not classified
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration hazard	Not classified



# HIT-1, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 12: Ecological information

#### 12.1. Toxicity

dibenzoyl peroxide (94-36-0)	
LC50 fish 1	2 mg/l (96 h; Poecilia reticulata)
EC50 Daphnia 1	0.07 mg/l
LC50 fish 2	0.0602 mg/l (96h; Oncorhynchus mykiss; ECHA)
NOEC (acute)	0.0316 mg/l (96h; Oncorhynchus mykiss; ECHA)

#### 12.2. Persistence and degradability

dibenzoyl peroxide (94-36-0)	
Persistence and degradability	Readily biodegradable in water.

#### 12.3. Bioaccumulative potential

dibenzoyl peroxide (94-36-0)	
Log Pow	3.71
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Regional legislation (waste)	Disposal must be done according to official regulations.
Waste disposal recommendations	Refer to manufacturer/supplier for information on recovery/recycling. Dispose of contents/container to Avoid release to the environment, Refer to manufacturer/supplier for information on recovery/recycling.
Ecology - waste materials	Avoid release to the environment.
European List of Waste (LoW) code	08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances

### SECTION 14: Transport information

In accordance with ADR / IATA / IMDG / RID

Other information No supplementary information available

ADR	IMDG	IATA	RID
<b>14.1. UN number</b>			
Not regulated for transport			
<b>14.2. UN proper shipping name</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>			
Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable

# HIT-1, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	IATA	RID
<b>14.4. Packing group</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>			
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
ADR 5.2.1.8.1 derogation applies (quantity of liquids ≤ 5 litres or net mass of solids ≤ 5 kg)			
No supplementary information available			

### 14.6. Special precautions for user

**- Overland transport**

Special provisions (ADR) 375

**- Transport by sea**

No data available

**- Air transport**

Special provisions (IATA) A197

**- Rail transport**

Carriage prohibited (RID) No

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**15.1.1. EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content 4.3 % (DIN EN ISO 11890-2)

**15.1.2. National regulations**

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Org. Perox. B	Organic Peroxides, Type B
Skin Sens. 1	Sensitisation — Skin, Category 1
H241	Heating may cause a fire or explosion

# HIT-1, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

---

H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life

SDS\_EU\_Hilti

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*

# HIT-1, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 22/02/2017

Revision date: 09/01/2017

:

Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	Mixture
Name	HIT-1, A
Product code	BU Anchor

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

No additional information available

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Hilti AG  
 Feldkircherstraße 100  
 9494 Schaan - Liechtenstein  
 T +423 234 2111 - F +423 234 2965  
[www.hilti.com](http://www.hilti.com)

##### Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH  
 Hiltistraße 6  
 86916 Kaufering - Deutschland  
 T +49 8191 906310 - F +49 8191 90176310  
[anchor.hse@hilti.com](mailto:anchor.hse@hilti.com)

#### 1.4. Emergency telephone number

Emergency number	Schweizerisches Toxikologisches Informationszentrum – 24h Service +41 44 251 51 51 (international) +423 234 2111
------------------	--

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H319  
 Skin Sens. 1 H317

Full text of hazard classes and H-statements : see section 16

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP)

Warning

Hazardous ingredients

1,4-Butanediol dimethacrylate; ethylenedimethacrylate; 1,4-naphthoquinone

Hazard statements (CLP)

H317 - May cause an allergic skin reaction  
 H319 - Causes serious eye irritation

Precautionary statements (CLP)

P280 - Wear eye protection, protective clothing, protective gloves  
 P262 - Do not get in eyes, on skin, or on clothing  
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

# HIT-1, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P302+P352 - IF ON SKIN: Wash with plenty of water  
 P337+P313 - If eye irritation persists: Get medical advice/attention  
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,4-Butanediol dimethacrylate	(CAS No) 2082-81-7 (EC No) 218-218-1 (REACH-no) 01-2119967415-30	10 - 15	Skin Sens. 1B, H317
vinyltoluene	(CAS No) 25013-15-4 (EC No) 246-562-2 (REACH-no) 01-2119622074-50	5 - 10	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Asp. Tox. 1, H304
ethylenedimethacrylate	(CAS No) 97-90-5 (EC No) 202-617-2 (EC Index No) 607-114-00-5	1 - 5	STOT SE 3, H335 Skin Sens. 1, H317
2-Hydroxypropyl methacrylate	(CAS No) 27813-02-1 (EC No) 248-666-3 (EC Index No) 607-125-00-5 (REACH-no) 01-2119490226-37	1 - 5	Eye Irrit. 2, H319 Skin Sens. 1, H317
2,2'-[(4-methylphenyl)imino]bisethanol	(CAS No) 3077-12-1 (EC No) 221-359-1	1 - 3	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318
1,1'-(p-tolylimino)dipropan-2-ol	(CAS No) 38668-48-3 (EC No) 254-075-1 (REACH-no) 01-2119980937-17	< 1	Acute Tox. 2 (Oral), H300 Eye Irrit. 2, H319 Aquatic Chronic 3, H412

#### Specific concentration limits:

Name	Product identifier	Specific concentration limits
ethylenedimethacrylate	(CAS No) 97-90-5 (EC No) 202-617-2 (EC Index No) 607-114-00-5	(C >= 10) STOT SE 3, H335

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	Remove/Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Assure fresh air breathing. Allow the victim to rest.
First-aid measures after skin contact	Wash contaminated clothing before reuse. Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.

# HIT-1, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after ingestion	Rinse mouth. Drink plenty of water. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.
------------------------------------	---

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	May cause an allergic skin reaction.
Symptoms/effects after eye contact	May cause severe irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	Water spray. Carbon dioxide. Dry powder. Foam. Sand.
Unsuitable extinguishing media	Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide. Carbon monoxide.
--	--

### 5.3. Advice for firefighters

Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	Spilled material may present a slipping hazard.
------------------	---

#### 6.1.1. For non-emergency personnel

Emergency procedures	Evacuate unnecessary personnel.
----------------------	---------------------------------

#### 6.1.2. For emergency responders

Protective equipment	Use personal protective equipment as required. Equip cleanup crew with proper protection.
Emergency procedures	Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment	Collect spillage.
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local legislation. Mechanically recover the product. Store away from other materials.
Other information	Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

# HIT-1, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Precautions for safe handling**      Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

**Hygiene measures**      Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions**      Keep cool. Protect from sunlight.

**Incompatible products**      Strong bases. Strong acids.

**Incompatible materials**      Sources of ignition. Direct sunlight.

**Storage temperature**      5 - 25 °C

**Heat and ignition sources**      Keep away from heat and direct sunlight.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

**Personal protective equipment**      Avoid all unnecessary exposure. Safety glasses. Gloves. Protective clothing.

**Hand protection**      Wear protective gloves. The permeation time is not the maximum wearing time! Generally speaking, it must be reduced. Contact with either mixtures of substances or different substances may shorten the protective function's effective duration

Type	Material	Permeation	Thickness (mm)	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,4	EN 374

**Eye protection**      Chemical goggles or safety glasses

Type	Use	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166, EN 170

**Skin and body protection**      Wear suitable protective clothing

**Respiratory protection**      In case of inadequate ventilation wear respiratory protection

Device	Filter type	Condition	Standard
Disposable half mask	Filter A1/B1	Vapour protection	



**Environmental exposure controls**      Avoid release to the environment.

**Consumer exposure controls**      Avoid contact during pregnancy/while nursing.

**Other information**      Do not eat, drink or smoke during use.

# HIT-1, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	Solid
Appearance	Thixotropic paste.
Colour	Beige.
Odour	strong. unpleasant odour.
Odour threshold	No data available
pH	No data available
Relative evaporation rate (butylacetate=1)	No data available
Melting point	No data available
Freezing point	No data available
Boiling point	No data available
Flash point	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative vapour density at 20 °C	No data available
Relative density	No data available
Solubility	insoluble in water.
Log Pow	No data available
Viscosity, kinematic	No data available
Viscosity, dynamic	No data available
Explosive properties	No data available
Oxidising properties	No data available
Explosive limits	No data available

#### 9.2. Other information

VOC content	2.8 mg/l (DIN EN ISO 11890-2)
-------------	-------------------------------

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Under normal conditions of storage and use, hazardous decomposition products should not be produced.



# HIT-1, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity Not classified

<b>1,4-Butanediol dimethacrylate (2082-81-7)</b>	
LD50 oral rat	10066 mg/kg
LD50 dermal rat	> 3000 mg/kg
<b>vinyltoluene (25013-15-4)</b>	
LD50 oral rat	2000-5000,Rat; Experimental value
LD50 dermal rabbit	2000-5000,Rabbit; Experimental value; Other
<b>ethylenedimethacrylate (97-90-5)</b>	
LD50 oral rat	8700 mg/kg (Rat; Other; Literature study)
LD50 dermal rat	> 2000 mg/kg bodyweight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
<b>2,2'-[(4-methylphenyl)imino]bisethanol (3077-12-1)</b>	
LD50 oral rat	960 mg/kg (Rat; Literature study)
<b>2-Hydroxypropyl methacrylate (27813-02-1)</b>	
LD50 oral rat	> 5000 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; >=2000 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rabbit	>= 5000 mg/kg bodyweight (Rabbit; Experimental value)
<b>1,1'-(p-tolyimino)dipropyl-2-ol (38668-48-3)</b>	
LD50 oral rat	25 mg/kg
LD50 dermal rat	> 2000 mg/kg
Skin corrosion/irritation	Not classified.
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Reproductive toxicity	Not classified
Specific target organ toxicity (single exposure)	Not classified
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration hazard	Not classified

### SECTION 12: Ecological information

#### 12.1. Toxicity

<b>1,4-Butanediol dimethacrylate (2082-81-7)</b>	
LC50 fish 1	32.5 mg/l
LC50 other aquatic organisms 1	9.79 mg/l
NOEC (acute)	7.51 mg/l
NOEC (chronic)	20 mg/l
<b>vinyltoluene (25013-15-4)</b>	
EC50 Daphnia 1	1.3 mg/l (LC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 18 h; Daphnia magna; Static system; Fresh water; Experimental value)
NOEC (acute)	5.2 mg/kg
NOEC (chronic)	1.636 mg/l
Threshold limit algae 1	2.6 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Experimental value)
<b>ethylenedimethacrylate (97-90-5)</b>	
LC50 fish 2	15.95 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Danio rerio; Static system)
Threshold limit algae 1	19 mg/l (ErC50; OECD 201: Alga, Growth Inhibition Test; 96 h; Pseudokirchneriella subcapitata; Static system)
<b>2,2'-[(4-methylphenyl)imino]bisethanol (3077-12-1)</b>	
LC50 fish 1	> 100 mg/l (LC50; 96 h; Brachydanio rerio)

# HIT-1, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>2-Hydroxypropyl methacrylate (27813-02-1)</b>	
LC50 fish 1	493 mg/l (48 h; Leuciscus idus; GLP)
EC50 Daphnia 1	> 143 mg/l (48 h; Daphnia magna; GLP)
Threshold limit algae 1	> 97.2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)
Threshold limit algae 2	> 97.2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)

<b>1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)</b>	
LC50 fish 1	≈ 17 mg/l
LC50 other aquatic organisms 1	245 mg/l
EC50 Daphnia 1	28.8 mg/l
NOEC (acute)	57.8 mg/l

### 12.2. Persistence and degradability

<b>1,4-Butanediol dimethacrylate (2082-81-7)</b>	
Biodegradation	84 %

<b>vinyltoluene (25013-15-4)</b>	
Persistence and degradability	Not readily biodegradable in water. Forming sediments in water. No (test)data on mobility of the substance available. Photodegradation in the air.
Biochemical oxygen demand (BOD)	0 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	2.88 g O <sub>2</sub> /g substance
ThOD	3.12 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0

<b>ethylenedimethacrylate (97-90-5)</b>	
Persistence and degradability	Readily biodegradable in water. No significant hydrolysis. Adsorbs into the soil. Photolysis in the air. Ozonation in the air.

<b>2,2'-[(4-methylphenyl)imino]bisethanol (3077-12-1)</b>	
Persistence and degradability	Biodegradability in water: no data available. No (test)data on mobility of the substance available. Photolysis in the air.

<b>2-Hydroxypropyl methacrylate (27813-02-1)</b>	
Persistence and degradability	Readily biodegradable in water.

### 12.3. Bioaccumulative potential

<b>1,4-Butanediol dimethacrylate (2082-81-7)</b>	
Log Pow	3.1

<b>vinyltoluene (25013-15-4)</b>	
BCF fish 1	120 - 170 (BCF; Other; 30 days; Lepomis macrochirus; Flow-through system; Fresh water; Experimental value)
Log Pow	3.26 - 3.36 (Experimental value; 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

<b>ethylenedimethacrylate (97-90-5)</b>	
BCF other aquatic organisms 1	2.96 (BCF; BCFBAF v3.00)
Log Pow	2.4 (Experimental value; OECD 102: Melting Point/Melting Range)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

<b>2,2'-[(4-methylphenyl)imino]bisethanol (3077-12-1)</b>	
Log Pow	1.09 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

<b>2-Hydroxypropyl methacrylate (27813-02-1)</b>	
BCF fish 1	≤ 100
BCF fish 2	3.2 Quantitative structure-activity relationship (QSAR)
Log Pow	0.97 (OECD 102 method)
Bioaccumulative potential	Low bioaccumulation potential (BCF < 500).

<b>1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)</b>	
BCF fish 1	≈
Log Kow	2.1

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

# HIT-1, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste)	Disposal must be done according to official regulations.
Waste disposal recommendations	Refer to manufacturer/supplier for information on recovery/recycling. Dispose of contents/container to Avoid release to the environment, Refer to manufacturer/supplier for information on recovery/recycling.
Ecology - waste materials	Avoid release to the environment.
European List of Waste (LoW) code	08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances

## SECTION 14: Transport information

In accordance with ADR / IATA / IMDG / RID

Other information: No supplementary information available

ADR	IMDG	IATA	RID
<b>14.1. UN number</b>			
Not regulated for transport			
<b>14.2. UN proper shipping name</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>			
Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>			
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available			

### 14.6. Special precautions for user

- Overland transport

- Transport by sea

No data available

- Air transport

No data available

- Rail transport

Carriage prohibited (RID) No

# HIT-1, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content 2.8 mg/l (DIN EN ISO 11890-2)

#### 15.1.2. National regulations

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, Category 1
Skin Sens. 1B	Sensitisation — Skin, category 1B
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H226	Flammable liquid and vapour
H300	Fatal if swallowed
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H412	Harmful to aquatic life with long lasting effects

SDS\_EU\_Hilti

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*