



GREEN BUILDING MATERIALS

Certification Form

| Product | MRc2 Environmental Product Declaration (EPD) | | MRc3 Sourcing of Raw Materials | | | | MRc4 Material Ingredients | | | | | | Required for Interior Products - All Divs | | | | |
|---------------------|--|--|---|----------------------|--------------------------------------|---|---------------------------|-------------------------------|---------------------------------|---------------------------|-----------------------|------------------|---|------------------------------|-----------------------------------|---|---------------------------|
| | EPD | b) 3rd Party Life Cycle Assessment (LCA) | Does the product's manufacturer have a corporate sustainability report? | a) Take-back Program | City/State or Country of Manufacture | Extraction, manufacture, and purchase locations all within 100 miles? | a) Manufacturer Inventory | b) Health Product Declaration | c) Cradle to Cradle Certificate | d) GreenScreen Assessment | e) REACH Optimization | f) Declare Label | Adhesive / Sealant | VOC Product Type | Provide VOC Content (grams/Liter) | General Emissions Evaluation Available? | TVOC Range |
| CFS-D 1" Cable Disc | Yes | No | Yes | No | ON Canada | No | No | No | No | No | No | No | X | Other Architectural Sealants | 2 | Yes | <0.5 mg/m ³ |
| FS-One MAX | No | Yes | Yes | No | Texas | No | No | No | Yes | No | No | No | X | Other Architectural Sealants | 9 | Yes | <0.5 mg/m ³ |
| CP 606 | No | Yes | Yes | No | Germany | No | No | No | No | No | No | No | X | Other Architectural Sealants | 71 | Yes | <0.5 mg/m ³ |
| CP 605 | No | No | Yes | No | Germany | No | No | No | No | No | No | No | X | Other Architectural Sealants | 36 | Yes | <0.5 mg/m ³ |
| CFS-SP WB (US) | No | Yes | Yes | No | Florida | No | No | No | No | No | No | No | X | Other Architectural Sealants | 34 | Yes | 0.5 - 5 mg/m ³ |
| CFS-SP WB (EU) | No | No | Yes | No | Germany | No | No | No | No | No | No | No | X | Other Architectural Sealants | 34 | Yes | <0.5 mg/m ³ |
| CFS-SP SIL | No | No | Yes | No | Germany | No | No | No | No | No | No | No | X | Other Architectural Sealants | 72 | Yes | 0.5 - 5 mg/m ³ |
| CFS-S SIL GG | No | No | Yes | No | ON Canada | No | No | No | No | No | No | No | X | Other Architectural Sealants | 48 | Yes | <0.5 mg/m ³ |
| CFS-S SIL SL | No | No | Yes | No | ON Canada | No | No | No | No | No | No | No | X | Other Architectural Sealants | 50 | Yes | <0.5 mg/m ³ |
| CP 617 | No | No | Yes | No | ON Canada | No | No | No | No | No | No | No | X | Other Architectural Sealants | 2 | Yes | <0.5 mg/m ³ |
| CP 618 | No | No | Yes | No | ON Canada | No | No | No | No | No | No | No | X | Other Architectural Sealants | 5 | Yes | <0.5 mg/m ³ |
| CP 619T | No | No | Yes | No | ON Canada | No | No | No | No | No | No | No | X | Other Architectural Sealants | 2 | Yes | <0.5 mg/m ³ |
| CFS-COS | No | No | Yes | No | Texas | No | No | No | No | No | No | No | X | Other Architectural Sealants | 1 | No | UNK |
| CP 675T | No | No | Yes | No | Hungary | No | No | No | No | No | No | No | X | Other Architectural Sealants | 1.9 | Yes | <0.5 mg/m ³ |
| CP 680-P/M | Yes | No | Yes | No | Minneapolis, MN | No | No | No | Yes | No | No | No | X | Other Architectural Sealants | 1.4 | Yes | <0.5 mg/m ³ |



GREEN BUILDING MATERIALS

Certification Form

| Product | MRc2 Environmental Product Declaration (EPD) | | MRc3 Sourcing of Raw Materials | | | | MRc4 Material Ingredients | | | | | | Required for Interior Products - All Divs | | | | |
|-----------------------|--|--|---|----------------------|--------------------------------------|---|---------------------------|-------------------------------|---------------------------------|---------------------------|-----------------------|------------------|---|------------------------------|-----------------------------------|---|---------------------------|
| | EPD | b) 3rd Party Life Cycle Assessment (LCA) | Does the product's manufacturer have a corporate sustainability report? | a) Take-back Program | City/State or Country of Manufacture | Extraction, manufacture, and purchase locations all within 100 miles? | a) Manufacturer Inventory | b) Health Product Declaration | c) Cradle to Cradle Certificate | d) GreenScreen Assessment | e) REACH Optimization | f) Declare Label | Adhesive / Sealant | VOC Product Type | Provide VOC Content (grams/Liter) | General Emissions Evaluation Available? | TVOC Range |
| CP 681 Tub Box | No | No | Yes | No | Malaysia | No | No | No | No | No | No | No | X | Other Architectural Sealants | 1.4 | No | UNK |
| CFS-CID 8"/10" | No | No | Yes | No | Minnesota | No | No | No | Yes | No | No | No | X | Other Architectural Sealants | 5 | Yes | <0.5 mg/m ³ |
| CFS-CID MD | No | Yes | Yes | No | Minnesota | No | No | No | No | No | No | No | X | Other Architectural Sealants | 0-17 | Yes | <0.5 mg/m ³ |
| CFS-TTS | No | No | Yes | No | Germany | No | No | No | No | No | No | No | X | Other Architectural Sealants | 22 | Yes | <0.5 mg/m ³ |
| CS-TTS SA | No | No | Yes | No | Germany | No | No | No | No | No | No | No | X | Other Architectural Sealants | 24 | Yes | <0.5 mg/m ³ |
| CFS-TTS MD | No | No | Yes | No | Germany | No | No | No | No | No | No | No | X | Other Architectural Sealants | 2 | Yes | <0.5 mg/m ³ |
| CFS-TTS MD P | No | No | Yes | No | North Carolina | No | No | No | No | No | No | No | X | Other Architectural Sealants | 0 | Yes | <0.5 mg/m ³ |
| CFS-TTS MD C | No | No | Yes | No | North Carolina | No | No | No | No | No | No | No | X | Other Architectural Sealants | 0 | Yes | <0.5 mg/m ³ |
| CFS-EOS QS | No | No | Yes | No | Germany | No | No | No | No | No | No | No | X | Other Architectural Sealants | 2 | Yes | <0.5 mg/m ³ |
| CFS-BL Fire Blocks | Yes | No | Yes | No | Germany | No | No | No | Yes | No | No | No | X | Other Architectural Sealants | 5.4 | Yes | 0.5 - 5 mg/m ³ |
| CFS-PL Firestop Plugs | Yes | No | Yes | No | Germany | No | No | No | Yes | No | No | No | X | Other Architectural Sealants | 4.9 | Yes | 0.5 - 5 mg/m ³ |
| CP 506 | No | No | Yes | No | Germany | No | No | No | No | No | No | No | X | Other Architectural Sealants | 57 | Yes | <0.5 mg/m ³ |
| CP 572 | No | No | Yes | No | Germany | No | No | No | No | No | No | No | X | Other Architectural Sealants | 91 | Yes | <0.5 mg/m ³ |
| CS-SL SA | No | No | Yes | No | Minneapolis, MN | No | No | No | No | No | No | No | X | Other Architectural Sealants | 11 | No | UNK |
| CP 653 / CFS-SL GA L | Yes | No | Yes | No | Minneapolis, MN | No | No | Yes | No | No | No | No | X | Other Architectural Sealants | 7.6 | Yes | <0.5 mg/m ³ |



GREEN BUILDING MATERIALS

Certification Form

| Product | MRc2 Environmental Product Declaration (EPD) | | MRc3 Sourcing of Raw Materials | | | | MRc4 Material Ingredients | | | | | | Required for Interior Products - All Divs | | | | |
|-------------------------------|--|--|---|----------------------|--------------------------------------|---|---------------------------|-------------------------------|---------------------------------|---------------------------|-----------------------|------------------|---|------------------------------|-----------------------------------|---|------------------------|
| | EPD | b) 3rd Party Life Cycle Assessment (LCA) | Does the product's manufacturer have a corporate sustainability report? | a) Take-back Program | City/State or Country of Manufacture | Extraction, manufacture, and purchase locations all within 100 miles? | a) Manufacturer Inventory | b) Health Product Declaration | c) Cradle to Cradle Certificate | d) GreenScreen Assessment | e) REACH Optimization | f) Declare Label | Adhesive / Sealant | VOC Product Type | Provide VOC Content (grams/Liter) | General Emissions Evaluation Available? | TVOC Range |
| CFS-SL SK Sleeve Kit | No | No | Yes | No | Minneapolis, MN | No | No | No | No | No | No | No | X | Other Architectural Sealants | 4.9 | No | UNK |
| CFS-SL RK Retrofit Kit | No | No | Yes | No | Minneapolis, MN | No | No | No | No | No | No | No | X | Other Architectural Sealants | 0.1 | No | UNK |
| CFS-CC | No | No | Yes | No | Minneapolis, MN | No | No | No | No | No | No | No | X | Other Architectural Sealants | 5.4 | Yes | <0.5 mg/m ³ |
| CP 637 | No | No | Yes | No | UK | No | No | No | No | No | No | No | X | Other Architectural Sealants | 0 | Yes | <0.5 mg/m ³ |
| CP 620 | No | No | Yes | No | Germany | No | No | No | No | No | No | No | X | Other Architectural Sealants | 1.3 | Yes | <0.5 mg/m ³ |
| CFS-T Cable Transit | No | No | Yes | No | Austria and Turkey | No | No | Yes | No | No | No | No | X | Other Architectural Sealants | N/A | No | UNK |
| CP 643N | No | No | Yes | No | Germany | No | No | No | No | No | No | No | X | Other Architectural Sealants | 7.6 | No | UNK |
| CP 644 | No | No | Yes | No | Germany | No | No | No | No | No | No | No | X | Other Architectural Sealants | 7.6 | No | UNK |
| CP 648-S | No | No | Yes | No | Germany | No | No | No | No | No | No | No | X | Other Architectural Sealants | 3.1 | Yes | <0.5 mg/m ³ |
| CP 648-E | No | No | Yes | No | Germany | No | No | No | No | No | No | No | X | Other Architectural Sealants | 3.1 | Yes | <0.5 mg/m ³ |
| CP 767 | No | No | Yes | No | New Jersey | No | No | No | No | No | No | No | X | Other Architectural Sealants | 0 | Yes | <0.5 mg/m ³ |
| CP 777 | No | No | Yes | No | New Jersey | No | No | No | No | No | No | No | X | Other Architectural Sealants | 0 | Yes | <0.5 mg/m ³ |
| CFS-SP Mineral Wool | Yes | No | Yes | No | Indiana | No | No | Yes | Yes | No | No | No | X | Other Architectural Sealants | 0 | No | UNK |
| Fire Finish CFP-SP WB FF 120+ | Yes | No | Yes | No | Germany | No | No | No | No | No | No | No | X | Other Architectural Sealants | 0 | Yes | <0.5 mg/m ³ |
| CFP-SP AWHB | No | No | Yes | No | Germany | No | No | No | No | No | No | No | X | Other Architectural Sealants | 122 | Yes | <0.5 mg/m ³ |



GREEN BUILDING MATERIALS

Certification Form

| Product | MRc2 Environmental Product Declaration (EPD) | | MRc3 Sourcing of Raw Materials | | | | MRc4 Material Ingredients | | | | | | Required for Interior Products - All Divs | | | | |
|----------------------|--|--|---|----------------------|--------------------------------------|---|---------------------------|-------------------------------|---------------------------------|---------------------------|-----------------------|------------------|---|------------------------------|-----------------------------------|---|------------------------|
| | EPD | b) 3rd Party Life Cycle Assessment (LCA) | Does the product's manufacturer have a corporate sustainability report? | a) Take-back Program | City/State or Country of Manufacture | Extraction, manufacture, and purchase locations all within 100 miles? | a) Manufacturer Inventory | b) Health Product Declaration | c) Cradle to Cradle Certificate | d) GreenScreen Assessment | e) REACH Optimization | f) Declare Label | Adhesive / Sealant | VOC Product Type | Provide VOC Content (grams/Liter) | General Emissions Evaluation Available? | TVOC Range |
| CFS-DID | No | No | Yes | No | Minneapolis, MN | No | No | No | No | No | No | No | X | Other Architectural Sealants | 0.19 | Yes | <0.5 mg/m ³ |
| CFS-SL GP Gang Plate | No | No | Yes | No | Minneapolis, MN | No | No | No | No | No | No | No | X | Other Architectural Sealants | 1.0 Seal, 5.2 intumescent | No | UNK |
| Firestop Box Insert | No | No | Yes | No | Houston, TX | No | No | No | No | No | No | No | X | Other Architectural Sealants | 1.9 | No | UNK |
| CP 660 | No | No | Yes | No | Germany | No | No | No | No | No | No | No | X | All Other Adhesives | 26 | Yes | <0.5 mg/m ³ |
| HIT- RE-500 V3 | No | No | Yes | No | Germany | No | No | No | No | No | No | No | X | All Other Adhesives | 5 | Yes | <0.5 mg/m ³ |
| HIT-RE100 | No | No | Yes | No | Germany | No | No | No | No | No | No | No | X | All Other Adhesives | 2 | Yes | <0.5 mg/m ³ |
| HIT-HY 200R | No | No | Yes | No | Germany | No | No | No | No | No | No | No | X | All Other Adhesives | 13 | Yes | <0.5 mg/m ³ |
| HIT-HY 200A | No | No | Yes | No | Germany | No | No | No | No | No | No | No | X | All Other Adhesives | 27 | Yes | <0.5 mg/m ³ |
| HIT-HY 270 | No | No | Yes | No | Germany | No | No | No | No | No | No | No | X | All Other Adhesives | 34 | Yes | <0.5 mg/m ³ |
| HIT-HY 70 | No | No | Yes | No | Germany | No | No | No | No | No | No | No | X | All Other Adhesives | 24 | Yes | <0.5 mg/m ³ |
| HIT-HY 100 | No | No | Yes | No | Germany | No | No | No | No | No | No | No | X | All Other Adhesives | 6 | Yes | <0.5 mg/m ³ |